


HELILOK®/VERTALOK®



Helilok Points/Pointes/Spitzen/Denti/Dientes/Dentes



Helilok® Tooth Systems

Points/Pointes/Spitzen/Denti/Dientes/Dentes


Reference Référence Bezeichnung Riferimento	Description* Description* Beschreibung* Descrizione*	A mm / in	B mm / in	C mm / in	Weight Poids Gewicht Peso kg / lb
21					
21ARL	NCL	184 / 7.25	94 / 3.70	18 / 0,7	5,4 / 12,0
21FYL	CL	184 / 7.25	76 / 3.00	18 / 0,7	4,0 / 8,8
21R	CL	152 / 6.00	73 / 2.88	18 / 0.70	3,1 / 6,9
21SYL	CL	191 / 7.50	76 / 3.00	13 / 0.50	3,9 / 8,6
21TG	NCL	178 / 7.00	76 / 3.00	9 / 0.34	3,3 / 7,2
21TVIPL	NCL	207 / 8,14	88 / 3,46	NA	3,4 / 7,4
21VIPL	NCL	207 / 8,14	NA	NA	3,0 / 6,6
21IX	CL	172 / 6.77	50 / 1.96	6 / 0.25	2,3 / 5,0
27					
27AG	NCL	213 / 8,39	130 / 5,12	24 / 0.76	7,4 / 16,3
27ARL	NCL	203 / 8,00	105 / 4,12	19 / 0.76	6,8 / 15,0
27FYL	CL	203 / 8,00	89 / 3,50	16 / 0.77	6,0 / 13,2
27SD	CL	203 / 7,99	51 / 2,01	10 / 0,4	4,4 / 9,7
27SYL	CL	203 / 8,00	89 / 3,50	16 / 0.80	4,6 / 10,2
27TG	NCL	203 / 8,00	102 / 4,02	10 / 0,40	4,6 / 10,2
27TVIPL	NCL	235 / 9,25	96 / 3,78	NA	4,8 / 10,6
27VIPL	NCL	235 / 9,25	NA	NA	4,0 / 8,8
37					
37AG	NCL	267 / 10,51	152 / 5,98	32 / 1,26	13,3 / 29,3
37ARL	NCL	248 / 9,75	127 / 5,00	24 / 0,95	13,0 / 28,5
37FPL	CL	235 / 9,25	108 / 4,25	14 / 0,55	8,6 / 18,9
37K	NCL	370 / 14,57	80 / 3,15	10 / 0,39	12,7 / 27,9
37R	CL	223 / 8,78	102 / 4,02	13 / 0,50	7,5 / 16,5
37SD	CL	254 / 10,00	57 / 2,25	13 / 0,50	8,0 / 17,6
37SYL	CL	241 / 9,50	121 / 4,75	18 / 0,72	7,8 / 17,2
37TG	NCL	241 / 9,50	121 / 4,75	11 / 0,43	8,0 / 17,6
37TVIPL	NCL	280 / 11,02	120 / 4,72	NA	7,2 / 15,8
37VIPL	NCL	280 / 11,02	NA	NA	6,4 / 14,1
47					
47AG	NCL	298 / 11,73	178 / 7,01	36 / 1,42	20,0 / 44,0
47ARL	NCL	273 / 10,75	133 / 5,24	23 / 0,91	15,5 / 34,1
47ARLB	NCL	298 / 11,75	133 / 5,25	28 / 1,12	19,5 / 42,9
47FPL	CL	280 / 11,02	130 / 5,12	16 / 0,63	14,6 / 32,1
47LP	CL	273 / 10,75	127 / 5,00	26 / 1,04	12,9 / 28,3
47R	CL	235 / 9,25	114 / 4,50	22 / 0,88	10,5 / 23,0
47SD	CL	273 / 10,75	64 / 2,50	13 / 0,50	11,7 / 25,7
47SYL	CL	279 / 11,00	127 / 5,00	25 / 1,00	11,4 / 25,1
47TG	NCL	279 / 11,00	140 / 5,51	15 / 0,59	13,0 / 28,6
47VIPL	NCL	324 / 12,76	NA	NA	10,2 / 22,4
47VIPLH	NCL	343 / 13,50	NA	NA	12,2 / 26,8
57					
57AG	NCL	350 / 13,78	197 / 7,76	41 / 1,61	29,0 / 63,8
57ARLB	NCL	311 / 12,25	159 / 6,25	18 / 0,72	26,8 / 58,9
57FPL	CL	325 / 12,80	148 / 5,83	20 / 0,79	23,0 / 50,6
57R	CL	279 / 11,00	127 / 5,00	36 / 1,40	16,7 / 36,8
57SD	CL	343 / 13,50	76 / 3,00	22 / 0,88	19,9 / 43,7
57SYL	CL	330 / 13,00	152 / 6,00	32 / 1,25	17,8 / 39,2
57TG	NCL	318 / 12,52	152 / 6,00	20 / 0,79	20,4 / 44,9
57VIP	NCL	333 / 13,11	NA	NA	15,5 / 34,1
57VX	NCL	349 / 13,74	NA	NA	15,0 / 33,0

*CL=Centerline/Symétrique/Symmetrisch/Simmetrica/Simétrica

NCL=Non-Centerline/Asymétrique /Asymmetrisch/Non simmetrica /Asimétrica

Weld-on Nose/Nez à souder/Anschweissnase/Nasello a Saldare/Nariz de soldar

Reference Référence Bezeichnung Riferimento	A mm / in	B mm / in	C mm / in	Weight Poids Gewicht Peso kg / lb
21				
WN21	73 / 2,88	93,7 / 3,69	24 / 0,94	2,9 / 6,5
27				
WN27	102 / 4,00	105 / 4,12	25 / 1,00	4,4 / 9,8
37				
WN37	114 / 4,50	126 / 4,97	28 / 1,12	7,2 / 15,8
47				
WN47	133 / 5,25	140 / 5,50	32 / 1,27	11,3 / 25,0
57				
WN57	152 / 6,00	152 / 6,00	37 / 1,45	20 / 44



Helilok® Tooth Systems


QUADRILOK® Pin Removal Tool/ Outil de démontage Durchschlag / Utensile di Smontaggio/Herramienta de desmontaje / Ferramenta de desmontagem

Reference Référence Bezeichnung Riferimento	A mm / in	B mm / in	Weight Poids Gewicht Peso kg / lb
21			
21LK & 21LKS	50 / 1,95	78 / 3,05	0,120 / 0,26
27			
27LKS	58 / 2,30	87 / 3,44	0,180 / 0,40
37			
37LK & 37LKS	71 / 2,78	108 / 4,26	0,300 / 0,66
47			
47LK & 47LKS	85 / 3,34	120 / 4,75	0,350 / 0,77
57			
57LK & 57LKS	100 / 3,91	132 / 5,18	0,390 / 0,85



LK

LKS




Reference Référence Bezeichnung Riferimento	L mm / in	Weight Poids Gewicht Peso kg / lb	Comments Commentaires Kommentar Commenti
552512	965 / 38,00	4,9 / 10,80	For, Pour, Für, Per 37,47 & 57

Adapters/Adaptateurs/Zahnhalter/Porta denti/Adaptador


Reference Référence Bezeichnung Riferimento	Type Type Typ Tipo	Nose Ang. Angle nez Nasenwinkel Nasello (°)	Lip Thck. Epaiss. Lame Messer Stärke Spessore lama	A mm / in	B mm / in	C mm / in	f mm / in	a (°)	Weight Poids Gewicht Peso kg / lb	Comments Commentaires Kommentar Commenti
21										
3829-21	15	17	NA	30 / 1,18	188 / 7,40	NA	NA	30	4,5 / 9,9	L
3768-21A	4	20	26 / 1,02	25 / 0,98	78 / 3,07	90 / 3,54	22-30 / 0,87-1,18	25	7,0 / 15,4	JCB 415/425

E=Excavator, Pelles, Bagger, Escavatore, Excavadora, Pás excavadora / L= Loaders, Chargeurs, Lader, Pala caricatrice, Cargadora, Pás carregadora

Type 4



Type 15




Vertalok®


Weld-on Nose/Nez à souder/Anschweissnase/Nasello a Saldare

Reference Référence Bezeichnung Riferimento	Type Type Typ Tipo	Nose Ang. Angle nez Nasenwinkel Nasello (°)	A mm / in	B mm / in	C mm / in	D (°)	Weight Poids Gewicht Peso kg / lb	Comments Commentaires Kommentar Commenti
27V								
3881-27V	3	16	35 / 1,38	180 / 7,09	90 / 3,54	30	8,5 / 18,7	E & L
3829-27V	15	17	40 / 1,57	200 / 7,87	NA	30	8,5 / 18,7	L
3809-27V	3	16	40 / 1,57	180 / 7,09	90 / 3,54	30	8,5 / 18,7	E & L
37V								
3882-37V	3	16	40 / 1,57	210 / 8,27	105 / 4,13	30	13 / 28,6	E & L
3829-37V	15	17	50 / 1,97	230 / 9,06	NA	30	13 / 27,5	L
3770-37V	17	0	50 / 1,97	100 / 3,94	85 / 3,35	NA	14 / 29,7	C
47V								
1837A47V	3	20	50 / 1,97	330 / 12,99	165 / 6,50	30	26 / 57,2	Cat.988
57V								
1856A57V	3	20	75-79 / 2,95-3,11	298 / 11,73	149 / 5,87	25	30 / 66,0	I.H. 560-570


E=Excavator, Pelles, Bagger, Escavatore, Excavadora, Pás excavadora / L= Loaders, Chargeurs, Lader, Pala caricatrice, Cargadora, Pás carregadora



Type 3




Type 15



Type 17

Weld-on Nose/Nez à souder/ Anschweissnase/Nasello a Saldare

Reference Référence Bezeichnung Riferimento	A mm / in	B mm / in	C mm / in	Weight Poids Gewicht Peso kg / lb
27V				
WN27V	102 / 4,00	105 / 4,12	25 / 1,00	4,5 / 9,8
37V				
WN37V	114 / 4,50	105 / 4,12	28 / 1,12	7,2 / 15,8
47V				
WN47V	133 / 5,25	140 / 5,50	32 / 1,27	11,9 / 26,2
57V				
WN57V	152 / 6,00	152 / 6,00	37 / 1,45	17,5 / 38,5




Vertalok®

Vertalok Pin and Plug/Clavette et bloc/Keil u. Keilhalter/Chiavetta e Blocco

Reference Référence Bezeichnung Riferimento	Description Description Beschreibung Descrizione	Weight Poids Gewicht Peso kg / lb
27V		
27VPL	Plug / Bloc / Keilhalter/ Blocco	0,1 / 0,2
27VPN	Pin / Clav./ Keil/ Chiav.	0,1 / 0,2
37V		
37VPL	Plug / Bloc / Keilhalter/ Blocco	0,1 / 0,3
37VPN	Pin / Clav./ Keil/ Chiav.	0,2 / 0,4
47V		
47V/Kit	Pin and Plug Kit	0,3 / 0,7
47VPL	Plug / Bloc / Keilhalter/ Blocco	0,1 / 0,3
47VPN	Pin / Clav./ Keil/ Chiav.	0,2 / 0,4
57V		
57VPL	Plug / Bloc / Keilhalter/ Blocco	0,1 / 0,3
57VPN	Pin / Clav./ Keil/ Chiav.	0,2 / 0,5

RemovalTool/Outil de démontage/Durchschlag/Utensile di Smontaggio

Reference Référence Bezeichnung Riferimento	Weight Poids Gewicht Peso kg / lb	Description Description Beschreibung Descrizione
CD18436#2	1,5 / 3,2	For, Pour, Für, Per 27V
37V/57V	2,0 / 4,5	For, Pour, Für, Per 37V, 47V, 57V
61V/81V	2,9 / 6,5	For, Pour, Für, Per 61V, 67V, 71V, 81V




Helilok Corners/Coins/Ecken/Cantonali/Esquina/Canto

Reference Référence Bezeichnung Riferimento	Nose Ang. Angle nez Nasenwinkel Nasello (°)	Blade depth Prof. lame Messer Tiefe Prof. lama	A mm / in	B mm / in	C mm / in	D mm / in	E mm / in	F mm / in	G mm / in	H mm / in	Lip Ang. Ang. lame Mess.Winke Ang. lama (°)	Weight Poids Gewicht Peso kg / lb	Comments Commentaires Kommentar Commenti
27													
RC27VL/R	16	255 / 10,00	265 / 10,43	65 / 2,56	105 / 4,13	220 / 8,66	25 / 0,98	95 / 3,74	40 / 1,57	NA	30	14,0 / 30,8	E & L
37													
RC37VL/R	16	300 / 11,81	310 / 12,20	85 / 3,35	125 / 4,92	260 / 10,24	30 / 1,18	106 / 4,17	45 / 1,77	NA	30	23,0 / 50,6	E & L
RK37VL/R	4	300 / 11,81	308 / 12,13	85 / 3,35	120 / 4,72	220 / 8,66	30 / 1,18	115 / 4,53	45 / 1,77	NA	30	24,0 / 52,8	E

E=Excavator, Pelles, Bagger, Escavatore L= Loaders, Chargeurs, Lader, Pala caricatrice

Type,
Typ, Tipo RC



Type,
Typ, Tipo RK

